






STATE OF NEW HAMPSHIRE
DEPARTMENT OF NATURAL AND CULTURAL RESOURCES
DIVISION OF PARKS AND RECREATION

McGREAL HOUSE RENOVATIONS
PROJECT #: CAP 2030


SHIELING STATE FOREST
PETERBOROUGH, NEW HAMPSHIRE

5/17/2021

DRAWING LIST:		CODE SUMMARY:		NOTES:		PROJECT TEAM:			
COVER SHEET & NOTES ARCHITECTURAL C1.01 SITE PLAN A0.01 LEGEND, ABBREVIATIONS, AND PARTITION TYPES A0.02 SCHEDULES AD1.00 BASEMENT DEMOLITION PLAN AD1.01 FIRST FLOOR DEMOLITION PLAN AD1.02 SECOND FLOOR DEMOLITION PLAN AD1.03 ROOF DEMOLITION PLAN A1.00 BASEMENT PLAN A1.01 FIRST FLOOR PLAN A1.02 SECOND FLOOR PLAN A1.03 ROOF PLAN A2.01 ELEVATIONS A2.02 ELEVATIONS A3.01 INTERIOR ELEVATIONS A4.01 DETAILS M1.01 MECHANICAL, ELECTRICAL & PLUMBING PARTIAL PLANS		BUILDING CODE SUMMARY 1 - CODE ANALYSIS BASED ON INTERNATIONAL RESIDENTIAL CODE 2015 EDITION AND NFPA 101 LIFE SAFETY CODE 2015 EDITION 2 - PROJECT DESCRIPTION: RENOVATIONS TO THE EXTERIOR, FIRST FLOOR AND SECOND FLOOR OF THE EXISTING HISTORIC RESIDENCE. THE USE AND OCCUPANCY CLASSIFICATION OF THE EXISTING STRUCTURE REMAINS UNCHANGED. 3 - THE BUILDING IS NOT SPRINKLED 4 - USE AND OCCUPANCY CLASSIFICATION: SINGLE FAMILY RESIDENTIAL 5 - CONSTRUCTION TYPE: TYPE 5B 6 - BUILDING AREAS: BASEMENT: 1,458 GROSS SF FIRST FLOOR: 2,040 GROSS SF SECOND FLOOR: 910 GROSS SF TOTAL: 4,408 GROSS SF		1 - WORK SHALL BE PERFORMED ACCORDING TO ALL APPLICABLE FEDERAL, STATE AND LOCAL BUILDING CODES AND OSHA REQUIREMENTS. 2 - ALL CONTRACTORS AND SUB-CONTRACTORS SHALL FAMILIARIZE THEMSELVES WITH THE CONSTRUCTION DOCUMENTS AND ANY EXISTING CONDITIONS. THIS IS TO PROVIDE AN OPPORTUNITY TO CLARIFY ANY QUESTIONS PRIOR TO THE START OF CONSTRUCTION. 3 - THE GENERAL CONTRACTOR SHALL COORDINATE WITH THE OWNER ACCESS TO THE SITE, AND ANY SPECIFIC OWNER REQUIREMENTS AND PROCEDURES FOR ACCESSING THE SITE. 4 - ALL DIMENSIONS ARE TO THE FACE OF MASONRY OR FACE OF STUD, UNLESS NOTED OTHERWISE. 5 - THE GENERAL CONTRACTOR SHALL BE FULLY RESPONSIBLE FOR VERIFYING ALL DIMENSIONS. ANY DISCREPANCY BETWEEN ANTICIPATED AND ACTUAL CONDITIONS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT PRIOR TO PROCEEDING WITH THE WORK. 6 - ALL EXPOSED MECHANICAL, ELECTRICAL AND PLUMBING SERVICES IN AREAS WITHOUT CEILINGS SHALL BE CAREFULLY COORDINATED AND INSTALLED TO PROVIDE A NEAT AND ORDERLY APPEARANCE. SERVICES SHALL BE RUN IN STRAIGHT LINES PARALLEL AND PERPENDICULAR TO THE EXPOSED STRUCTURE. ALL SERVICES SHALL BE RUN WITHIN OR BETWEEN EXPOSED STRUCTURE TO THE EXTENT POSSIBLE. 7 - THE CONTRACTOR SHALL MAINTAIN A FULL SET OF CONSTRUCTION DOCUMENTS ON SITE AT ALL TIMES. THE CONTRACTOR SHALL RECORD, IN RED, ON THE DRAWINGS ALL FIELD CHANGES MADE TO THE CONSTRUCTION SET. THE CONTRACTOR SHALL SUBMIT TO THE OWNER AND ARCHITECT ONE SET OF AS-BUILT DRAWINGS AT THE END OF THE PROJECT INDICATING ALL CHANGES MADE. 8 - PATCH TO MATCH ALL EXISTING MATERIALS THAT ARE DAMAGED, DISTURBED OR OTHERWISE AFFECTED BY REMOVAL OF EXISTING BUILDING ELEMENTS, RELOCATION OF EXISTING MATERIALS, OR CAUSED BY ANY PROCESS OF THE NEW CONSTRUCTION UNDER THIS CONTRACT. FINISH TO MATCH ADJACENT SURFACES. 9 - THE GENERAL CONTRACTOR IS RESPONSIBLE FOR PROVIDING ALL CUTTING AND PATCHING REQUIRED FOR TRADES THAT ARE REQUIRED BY THE SCOPE OF WORK. 10 - FURNISH AND INSTALL ALL TEMPORARY FENCING OR OTHER SAFETY FEATURES REQUIRED TO PROTECT THE PUBLIC, EXISTING BUILDING AND NEW WORK.		ARCHITECT: THOMAS MANSFIELD DEPARTMENT OF NATURAL AND CULTURAL RESOURCES 172 PEMBROKE ROAD CONCORD, NH 03301			
								STAMP	
								STAMP	
								STAMP	



1 TYP. GRANITE STAIR DETAIL
1 1/2" = 1'-0"



2 TYP. ELECTRICAL TRENCH DETAIL
1 1/2" = 1'-0"

INTERIOR ELEVATION

1

2

3

INTERIOR ELEVATION NUMBER

SHEET WHERE SHOWN

EXTERIOR ELEVATION

1

2

3

EXTERIOR ELEVATION NUMBER

SHEET WHERE SHOWN

BUILDING SECTION

1

2

3

BUILDING SECTION NUMBER

SHEET WHERE SHOWN

WALL SECTION

1

2

3

WALL SECTION NUMBER

SHEET WHERE SHOWN

DETAILS

1

2

3

DETAIL NUMBER

SHEET WHERE SHOWN

WINDOW & FRAME TYPE

DATUM/WORK POINT

DOOR NUMBER

INDICATES ALIGNMENT

ACCESSORY TYPE

Room Name & Number
0 S.F.
10'-0" x 12'-0"

ROOM TAG

REVISION NUMBER

PARTITION TYPE

INDICATES BARRIER FREE ACCESS. ITEMS DESIGNATED MUST COMPLY WITH LATEST LOCAL CODE EDITIONS AND FEDERAL ACCESSIBILITY LEGISLATION

DEMOLITION NOTE

THE FOLLOWING TABLE OF ABBREVIATIONS IS PROVIDED FOR THE CONVENIENCE OF THE CONTRACTOR. IT IS NOT INTENDED TO SERVE AS A COMPLETE LIST OF ALL ABBREVIATIONS TO BE FOUND IN THE CONTRACT DOCUMENTS. SHOULD THE CONTRACTOR REQUIRE ANY CLARIFICATION OR INTERPRETATION HEREOF, HE SHALL PROMPTLY SO NOTIFY THE ARCHITECT.											
#	FEET	DBL	DOUBLE	L.H.	LEFT HAND	STD	STANDARD				
1/8"	POUNDS, NUMBER AND ANGLE	DN	DOWN	LF	LINEAR FOOT	STOR	STORAGE				
1/4"	ANGLE	DWG	DRAWING	LAV	LAATORY	STRCT	STRUCTURE				
1/2"	INCHES	EXP	EXPANDED	LAVH	LAATORY HEIGHT	SAT	SUSPENDED ACUSTIC TILE				
3/4"	INCHES	EXP	EXPANDED	LT	LIGHT						
0	ROUND, DIAMETER	ETR	EXTERIOR INSULATION FINISH SYSTEM	MAS	MASONRY	TEL	TELEPHONE				
1	PROPERTY LINE, PLATE	EXT	EXTENDING TO REMAIN	MAX	MAXIMUM	THK	THICK THICKNESS				
2	CENTERLINE	EXH	EXHAUST	MIN	MINIMUM	T&B	TOP OF				
3	DEGREES	EXIST	EXISTING	MFR	MANUFACTURER	T&B	TOP AND BOTTOM				
±	PLUS OR MINUS	E.F.	EACH FACE	MANUF	MANUFACTURER	TRANS	TRANSITION STRIP				
		E.W.	EACH WAY	MED	MEDIUM	T.S.	TELEVISION				
		ELEC	ELECTRICAL	MCH	MECHANICAL	T&G	TONGUE AND GROOVE				
		ELEV	ELEVATION	MED	MEDIUM	TEMP	TEMPERATURE, TEMPERED				
		EMER	EMERGENCY	MISC	MISCELLANEOUS	TYP	TYPICAL				
		EQUIP	EQUIPMENT	MISC	MISCELLANEOUS	TUJ	TOUCH UP				
		EST	ESTIMATED	MTL	METAL						
		EA	EACH	MTR	MOISTURE RESISTANT	U.C.	UNDERCUT				
		EA	ELECTRICAL PANEL BOARD	N.O.	NATURAL	U.O.	UNLESS NOTED OTHERWISE				
		ELEV	ELEVATOR	N.T.	NATURAL						
		EQ	ELEVATOR	N.B.C.	NOISE REDUCTION COEFFICIENT	VERT	VERTICAL				
		ELC	ELECTRIC WATER COOLER	N.T.S.	NOT TO SCALE	VERY	VERY				
		E.W.	EXPANSION JOINT	N.C.	NOT IN CONTRACT	V.F.	VERY IN FIELD				
		E.J.		NO.	NUMBER	VCT	VINYL COMPOSITION TILE				
		FIN	FINISH	OA	OVERALL						
		F.F.	FIRE EXTINGUISHER CABINET	O/A	OPENING	W/C	WITH				
		F/F	FACE TO FACE	O/P	OPENING OVERHEAD	W.P.	WATER PROOF				
		F/F	FLOOR	O/O	OUTSIDE TO OUTSIDE	W/O	WITHOUT				
		F/L	FLOOR	O/O	OUTSIDE TO OUTSIDE	W.P.	WATER PROOF				
		F/L	FLOOR	O/O	OUTSIDE TO OUTSIDE	W.C.	WATER CLOSET				
		F.T.	FIRE TREATED	O/C	ON CENTER	W.F.	WELDED WIRE FABRIC				
		FUT	FUTURE	O/P	OPPOSITE	W.C.	WIRE				
		F.T.	FIRE EXTINGUISHER	O/O	OUTSIDE DIAMETER	WD	WOOD				
		F.F.	FINISH FLOOR	PAR	PART						
		F.F.	FINISH FLOOR	PMT	PAYMENT						
		F.D.	FIRE DRINK	PERF	PERFORATED						
		F.D.	FOUNDATION	PL	PLASTIC LAMINATE						
		F.D.	FOUNDATION	PLAS. LAM.	PLASTIC LAMINATE						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F.D.	FOUNDATION	PLY	PLYWOOD						
		F									

FINISH SCHEDULE								
ROOM NO.	ROOM NAME	FLOOR MAT. - FIN.	BASE MAT. - FIN.	WALL MATERIAL	WALL FINISH	CEILING MATERIAL	CEILING FINISH	REMARKS
BASEMENT								
001	BASEMENT	ETR	ETR	ETR	ETR	ETR	ETR	-
002	CRAWLSPACE	ETR	ETR	ETR	ETR	ETR	ETR	-
003	CRAWLSPACE	ETR	ETR	ETR	ETR	ETR	ETR	-
FIRST FLOOR								
101	PORCH	ETR CONCRETE	ETR WOOD	ETR WOOD	ETR STAINED	ETR BOARD	ETR STAINED	9
102	MECH RM	ETR WOOD	NONE	ETR VERT BRD	ETR STAINED	ETR BOARD	ETR STAINED	1
103	HALL	ETR BOARD	NONE	ETR VERT BRD	ETR STAINED	ETR BOARD	ETR STAINED	1
104	SUMMER KITCHEN	ETR WOOD	NONE	ETR HORIZ BRD	PAINT	ETR PLASTER	PAINT	1, 2
105	DINING ROOM	RIGID CORE TILE	ETR WOOD - PAINT	ETR PLASTER	PAINT	ETR PLASTER	PAINT	1, 2, 10
106	CLOSET	RIGID CORE TILE	NONE	ETR WOOD	PAINT	ETR WOOD	PAINT	11
107	HALL	RIGID CORE TILE	ETR WOOD - PAINT	ETR PLASTER	PAINT	ETR PLASTER	PAINT	-
108	CLOSET	RIGID CORE TILE	ETR WOOD - PAINT	ETR VERT BRD	PAINT	ETR BOARD	PAINT	-
109	CLOSET	RIGID CORE TILE	NONE	ETR PLASTER	PAINT	ETR BOARD	PAINT	1
110	LIVING ROOM	RIGID CORE TILE	ETR WOOD - PAINT	EXIST PLASTER	PAINT	EXIST PLASTER	PAINT	1, 2, 10
111	BATHROOM	CERAMIC TILE	CERAMIC COVE	GWB	PAINT	GWB	PAINT	-
112	HALL	CARPET	PAINT	GWB	PAINT	GWB	PAINT	3
113	ENTRY HALL	ETR WOOD	ETR WOOD	EXIST PLASTER	PAINT	EXIST PLASTER	PAINT	1, 10
114	KITCHEN	RIGID CORE TILE	PAINT	EXIST GWB	PAINT	EXIST GWB	PAINT	8, 12
115	CLOSET	RIGID CORE TILE	PAINT	EXIST/NEW GWB	PAINT	EXIST GWB	PAINT	3
116	HALL	RIGID CORE TILE	PAINT	EXIST GWB	PAINT	EXIST GWB	PAINT	3
117	GARAGE	ETR CONCRETE	ETR	ETR	ETR	ETR	ETR	4
SECOND FLOOR								
201	BEDROOM	CARPET	ETR WOOD - PAINT	EXIST/NEW GWB	PAINT	EXIST GWB	PAINT	1
202	BATHROOM	CERAMIC TILE	CERAMIC COVE	TILE BACKER	CERAMIC TILE	GWB	PAINT	5
203	HALL	CARPET	ETR WOOD - PAINT	EXIST PLASTER	PAINT	EXIST PLASTER	PAINT	6, 13
204	LINEN	ETR WOOD - PAINT	ETR WOOD - PAINT	EXIST PLASTER	PAINT	EXIST PLASTER	PAINT	7
205	CLOSET	CARPET	NONE	EXIST PLASTER	PAINT	EXIST PLASTER	PAINT	7
206	CLOSET	CARPET	ETR WOOD - PAINT	EXIST PLASTER	PAINT	EXIST PLASTER	PAINT	7
207	CLOSET	CARPET	ETR WOOD - PAINT	EXIST PLASTER	PAINT	EXIST PLASTER	PAINT	7
208	BEDROOM	CARPET	ETR WOOD - PAINT	EXIST PLASTER	PAINT	EXIST PLASTER	PAINT	1
209	ATTIC	ETR WOOD	ETR WOOD	ETR FIBER BRD	PAINT	ETR FIBER BRD	PAINT	-
210	ATTIC	ETR WOOD	ETR WOOD	ETR FIBER BRD	PAINT	ETR FIBER BRD	PAINT	-

NOTES:

1. ALL EXISTING INTERIOR AND EXTERIOR PAINTED SURFACES ARE TO BE PROVIDED WITH NEW PAINT OR CLEAR COATS, THROUGHOUT THE ENTIRE BUILDING UNLESS SCHEDULED TO BE COVERED BY OTHER FINISH MATERIALS. WORK INCLUDES ALL WALLS, CEILINGS, CASEWORK, MASONRY, ETC.

REMARKS:

1. PAINT EXISTING CASEWORK.
2. PROVIDE NEW MASONRY CLEAR COAT AT FIREPLACE & CHIMNEY. PAINT EXISTING WOOD MANTEL.
3. PROVIDE NEW BASE TO MATCH EXISTING
4. PROVIDE NEW RUBBER TILE AND PAINTED WOOD BASE AT STAIR PLATFORM. PROVIDE RUBBER STAIR TREADS AND RISERS.
5. SHOWER: CERAMIC TILE FLOOR, CURB & WALLS WITH PAINTED CEILING. PROVIDE STONE THRESHOLD ON TOP OF CURB.
6. PAINT EXISTING ATTIC HATCH.
7. PAINT EXISTING CLOSET SHELVING ON ALL SIDES, TOP AND BOTTOM.
8. PROVIDE NEW 1/2" PLYWOOD UNDERLAYMENT
9. PATCH AND REPAIR DAMAGED VERTICAL BOARD SIDING AND CEILINGS.
10. PAINT EXISTING WAINSCOT.
11. PAINT NEW SHELVING.
12. PAINT EXISTING CEILING BEAM.
13. PROVIDE CARPET ON EXISTING STAIRS.

DOOR SCHEDULE										
DOORS						FRAMES		HARDWARE		
DR. NO.	SIZE	THK	DOOR MATERIAL	DOOR TYPE	GLAZING TYPE	FRAME MATERIAL	FRAME TYPE	SET No.	RATING	REMARKS
FIRST FLOOR										
102	ETR	ETR	ETR	F	ETR	ETR	ETR	ETR	-	2, 5
103	ETR	ETR	ETR	ETR	-	ETR	ETR	ETR	-	2, 5
104	ETR	ETR	ETR	E	ETR	ETR	ETR	ETR	-	2, 5
105	2'-6" x 6'-8"	-	-	-	-	WOOD	1	-	-	CASED OPENING
107	ETR	ETR	WOOD	G	-	ETR	ETR	1 & 2	-	2, 3, 4, 8
108	ETR	ETR	ETR	ETR	-	ETR	1	3	-	3, 4
111	2'-6" x 6'-8"	1 3/4	WOOD	B	-	WOOD	1	4	-	-
112	2'-8" x 6'-8"	-	-	-	-	WOOD	1	-	-	CASED OPENING
113	ETR	ETR	ETR	A	-	ETR	ETR	1	-	2, 3, 4, 7, 9
114	2'-8" x 6'-8"	1 3/4	WOOD	B	-	WOOD	1	3	-	-
115	2'-6" x 6'-8"	1 3/4	WOOD	B	-	WOOD	1	3	-	-
116	2'-8" x 6'-8"	1 3/4	WOOD	B	-	WOOD	1	3	20 MIN.	INSULATED
117	3'-0" x 6'-8"	1 3/4	FIBERGLASS	C	-	WOOD	1	5	-	-
SECOND FLOOR										
201	1'-6" x 4'-0"	1 3/4	WOOD	D	-	WOOD	1	6	-	ACCESS DOOR
202	ETR	ETR	ETR	ETR	-	ETR	ETR	4	-	3, 4


REMARKS:

1. PATCH AND REPAIR EXISTING WOOD FRAME, PREP FRAME FOR NEW DOOR LEAF AND STORM/SCREEN DOOR.
2. VERIFY CONDITION OF EXISTING WOOD THRESHOLD. PATCH AND REPAIR OR REPLACE WITH NEW WOOD THRESHOLD AS REQUIRED.
3. PATCH AND REPAIR EXIST WOOD DOOR AND FRAME.
4. PREP EXISTING DOOR AND FRAME FOR NEW DOOR HARDWARE.
5. RECONDITION EXISTING DOOR AND HARDWARE TO BE IN WORKING CONDITION.
6. PREP EXISTING STORM DOOR AND FRAME FOR NEW HARDWARE.
7. REMOVE AND ADJUST EXISTING SCREEN DOOR TO RECEIVE NEW STORM DOOR GLASS INSERTS. PROVIDE NECESSARY MOUNTING HARDWARE.
8. PREP EXISTING FRAME FOR NEW STORM/SCREEN DOOR.
9. RECONDITION EXISTING SCREEN DOOR HARDWARE TO BE IN WORKING CONDITION.

WINDOW SCHEDULE							
MARK	TYPE	FRAME SIZE	MATERIAL	EXT. FIN.	INT. FIN.	GLASS	GRILLES
REMARKS							
A	DOUBLE HUNG	2'-7 1/2"x4'-2"	CLAD WOOD	AS SELECTED	AS SELECTED	LOW-E, ARGON FILLED	PER ELEVATIONS
B	PROJECT-OUT	1'-10 1/2"x1'-7"	CLAD WOOD	AS SELECTED	AS SELECTED	LOW-E, ARGON FILLED	PER ELEVATIONS
C	FIXED	2'-3 1/2"x2'-2"	CLAD WOOD	AS SELECTED	AS SELECTED	LOW-E, ARGON FILLED	PER ELEVATIONS
D	FIXED	2'-8"x1'-0"	CLAD WOOD	AS SELECTED	AS SELECTED	LOW-E, ARGON FILLED	PER ELEVATIONS

NOTES:

1. ALL OPERABLE WINDOWS SHALL BE PROVIDED WITH MANUFACTURERS WINDOW SCREENS.
2. CONTRACTOR SHALL COORDINATE WITH THE WINDOW MANUFACTURER/INSTALLER TO ENSURE A PROPER WATER TIGHT INSTALLATION THAT WILL ALSO LIMIT AIR INFILTRATION.
3. PROVIDE AND INSTALL ALL NECESSARY ACCESSORIES INCLUDING JAMB EXTENSIONS, HARDWARE AND FASTENERS.
4. SEE WINDOW FRAME ELEVATIONS FOR ADDITIONAL INFORMATION.



DEMOLITION NOTES

GENERAL

- 1 - THE DEMOLITION PLANS ILLUSTRATE THE GENERAL INTENT AND SCOPE OF ARCHITECTURAL DEMOLITION. THEY ARE NOT INTENDED TO BE A COMPLETE REPRESENTATION OF ALL DEMOLITION WORK REQUIRED. ALL DRAWINGS AND SPECIFICATIONS SHOULD BE CONSIDERED WHEN DETERMINING THE FULL SCOPE OF DEMOLITION REQUIRED FOR THE PROJECT. IT IS THE INTENT OF THE SCOPE TO REQUIRE DEMOLITION OF ALL BUILDING ELEMENTS AS REQUIRED FOR THE INSTALLATION OF NEW WORK FOR THIS PROJECT.
- 2 - ITEMS SHOWN AS "DASHED" LINES GENERALLY REPRESENT ITEMS TO BE REMOVED. IT IS THE CONTRACTORS RESPONSIBILITY TO FIELD VERIFY THE EXACT LIMITS AND DETAILS OF DEMOLITION AND COORDINATE WITH THE PLANS AND DETAILS OF NEW WORK.
- 3 - UNLESS OTHERWISE INDICATED ON THE DRAWINGS, REMOVE PARTITIONS COMPLETE TO THE STRUCTURES ABOVE.
- 4 - REMOVE DOORS, FRAMES AND HARDWARE INCLUDING SIDELIGHTS, TRANSOMS AND THRESHOLDS WHERE DOORS ARE SHOWN TO BE REMOVED.
- 5 - AFTER DEMOLITION IS COMPLETE, PATCH ALL SURFACES THAT REMAIN AS NEEDED TO RECEIVE NEW FINISHES, OR TO MATCH EXISTING FINISH TO REMAIN (IF NO NEW FINISH IS SCHEDULED).
- 6 - REMOVE EXISTING FINISHES AS REQUIRED TO ACCOMMODATE THE NEW CONSTRUCTION.
- 7 - REMOVE ALL UNUSED ELECTRICAL, MECHANICAL, PLUMBING, ETC. SYSTEMS BACK TO THEIR POINT OF ORIGIN.
- 8 - THE GENERAL CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND INSTALLING ANY AND ALL NECESSARY SHORING AND TEMPORARY SUPPORTS REQUIRED DURING CONSTRUCTION. NO STRUCTURAL ELEMENTS SHALL BE REMOVED WITHOUT HAVING SUFFICIENT SHORING IN PLACE.
- 9 - PROVIDING CORING AND TRENCHING IN EXISTING CONSTRUCTION AS REQUIRED FOR NEW WORK. PATCH TO MATCH EXISTING.

CIVIL

- C1 - SALVAGE EXISTING GRANITE STEP. PREP SITE TO RECEIVE NEW SETTING BED AND REINSTALLATION OF STEP
- C2 - PROVIDE TRENCHING FROM BUILDING TO EXISTING METER ON UTILITY POLE. PREP FOR NEW UNDERGROUND CONDUIT AND WIRING.

DOORS AND WINDOWS

- DW1 - REMOVE EXISTING DOOR, FRAME AND HARDWARE COMPLETE.
- DW2 - REMOVE STORM DOOR AND HARDWARE COMPLETE. SALVAGE EXISTING FRAME FOR REUSE. PREP FOR NEW STORM DOOR.
- DW3 - REMOVE EXISTING DOOR AND FRAME. SALVAGE DOOR FOR REUSE AT NEW DOOR OPENING #108.
- DW4 - REMOVE AND SALVAGE EXISTING DOOR. PREP EXISTING DOOR AND FRAME TO REMOUNT DOOR WITH MODIFIED SWING.
- DW5 - REMOVE EXISTING WINDOW & STORM/SCREEN WINDOW COMPLETE. PREP OPENING FOR NEW WINDOW.
- DW6 - REMOVE EXISTING WINDOW COMPLETE. PREP OPENING FOR NEW ROUGH OPENING AND WINDOW.
- DW7 - REMOVE EXISTING WINDOW COMPLETE. PREP OPENING FOR NEW WALL INFILL.
- DW8 - REMOVE AND SALVAGE EXISTING WINDOW FOR RELOCATION. PREP OPENING FOR NEW WALL INFILL.

ELECTRICAL

- GENERAL - REMOVE ALL EXISTING WIRING THROUGHOUT THE ENTIRE BUILDING. PREP FOR INSTALLATION OF NEW ELECTRICAL SYSTEM.
- E1 - IN AREAS WHERE DEMOLITION ACTIVITIES AFFECT EXISTING WIRING, CONDUIT, OUTLETS, SWITCHES, ETC. REMOVE OR RELOCATE SUCH COMPONENTS AS REQUIRED AND COORDINATED WITH THE ARCHITECT.
- E2 - REMOVE EXISTING LIGHT FIXTURES COMPLETE.
- E3 - REMOVE EXISTING ELECTRICAL SERVICE ENTRANCE AND PANEL COMPLETE.

EQUIPMENT

- E01 - REMOVE EXISTING WALL OVEN AND CABINET COMPLETE.
- E02 - REMOVE EXISTING SPEAKER CABINET, SPEAKER AND ASSOCIATED WIRING COMPLETE.

FINISHES & MISCELLANEOUS

- FN1 - REMOVE EXISTING FLOOR, WALL AND CEILING FINISHES COMPLETE. REMOVE WALL AND CEILING SHEATHING MATERIALS BACK TO EXISTING STUDS AND JOISTS. PREP SURFACES TO RECEIVE NEW FINISHES.
- FN2 - REMOVE EXIST STAIRS AND HANDRAILS COMPLETE.
- FN3 - REMOVE EXISTING BRICK HEARTH, CHIMNEY & WALL FINISH COMPLETE. PATCH AND REPAIR FOR NEW FINISHES.
- FN4 - REMOVE EXISTING CABINETS AND COUNTERS COMPLETE.
- FN5 - REMOVE EXISTING SHELVING COMPLETE.
- FN6 - REMOVE EXISTING SHUTTERS COMPLETE.
- FN7 - REMOVE EXISTING FLOOR AND UNDERLAYMENT COMPLETE. PREP FOR NEW UNDERLAYMENT AND FLOOR FINISH.

MECHANICAL

- GENERAL - PROVIDE OPENINGS FOR NEW DUCTWORK AND GRILLES AS REQUIRED.
- M1 - REMOVE EXISTING FURNACE AND DUCTWORK COMPLETE THROUGHOUT BUILDING. PREP FOR NEW FURNACE AND DUCTWORK.
- M2 - REMOVE EXISTING SUPPLY GRILLES. PATCH OPENINGS TO MATCH EXISTING.
- M3 - REMOVE EXISTING ELECTRICAL BASEBOARD HEAT COMPLETE.

PLUMBING

- GENERAL - REMOVE ALL EXISTING PLUMBING SUPPLY AND DRAIN LINES COMPLETE THROUGHOUT THE ENTIRE BUILDING. PREP FOR INSTALLATION OF NEW PIPING AND DRAINAGE SYSTEM.
- P1 - REMOVE EXISTING PLUMBING FIXTURES, PIPING AND ALL APPURTENANCES COMPLETE.

ROOFS



- R1 - REMOVE EXISTING ROOFING COMPLETE, PREP TO RECEIVE NEW ROOFING. NOTE: EXISTING COPPER ROOFING TO REMAIN.
- R2 - REMOVE EXISTING CHIMNEY COMPLETE. PREP FOR NEW SHEATHING AND FRAMING INFILL.
- R3 - REMOVE PORTION OF EXISTING CHIMNEY DOWN TO EXISTING ROOF LEVEL. PREP FOR REBUILDING AND NEW FLUE LINERS AND FLASHING.
- R4 - REMOVE EXISTING GUTTER AND ROOF LEADER COMPLETE.

STRUCTURAL

- ST1 - REMOVE EXISTING STEEL LALLY COLUMNS AND PORTIONS OF CONCRETE SLAB. PREP FOR NEW FOOTINGS AND COLUMN.

WALLS

- W1 - REMOVE PORTION OF EXISTING WALL AND SHEATHING. PREP FOR NEW CASSED OPENING.
- W2 - REMOVE PORTION OF EXISTING WALL AS REQUIRED FOR NEW WINDOW OPENING.
- W3 - REMOVE PORTION OF EXISTING WALL. PREP FOR NEW ACCESS DOOR OPENING.



FARMS Data:

BUILDING #: SHL03
BUILDING NAME: McGreal House

PROJECT #: CAP 2030
DRAWN BY: SDC
DATE: 5/17/2021
SCALE: 1/4" = 1'-0"

REVISED: -
COPYRIGHT © BY STATE OF NEW HAMPSHIRE DEPARTMENT OF RESOURCES & ECONOMIC DEVELOPMENT. ALL RIGHTS RESERVED. NO REPRODUCTION WITHOUT PERMISSION.

DEMOLITION NOTES

GENERAL

- 1 - THE DEMOLITION PLANS ILLUSTRATE THE GENERAL INTENT AND SCOPE OF ARCHITECTURAL DEMOLITION. THEY ARE NOT INTENDED TO BE A COMPLETE REPRESENTATION OF ALL DEMOLITION WORK REQUIRED. ALL DRAWINGS AND SPECIFICATIONS SHOULD BE CONSIDERED WHEN DETERMINING THE FULL SCOPE OF DEMOLITION REQUIRED FOR THE PROJECT. IT IS THE INTENT OF THE SCOPE TO REQUIRE DEMOLITION OF ALL BUILDING ELEMENTS AS REQUIRED FOR THE INSTALLATION OF NEW WORK FOR THIS PROJECT.
- 2 - ITEMS SHOWN AS "DASHED" LINES GENERALLY REPRESENT ITEMS TO BE REMOVED. IT IS THE CONTRACTORS RESPONSIBILITY TO FIELD VERIFY THE EXACT LIMITS AND DETAILS OF DEMOLITION AND COORDINATE WITH THE PLANS AND DETAILS OF NEW WORK.
- 3 - UNLESS OTHERWISE INDICATED ON THE DRAWINGS, REMOVE PARTITIONS COMPLETE TO THE STRUCTURES ABOVE.
- 4 - REMOVE DOORS, FRAMES AND HARDWARE INCLUDING SIDELIGHTS, TRANSOMS AND THRESHOLDS WHERE DOORS ARE SHOWN TO BE REMOVED.
- 5 - AFTER DEMOLITION IS COMPLETE, PATCH ALL SURFACES THAT REMAIN AS NEEDED TO RECEIVE NEW FINISHES, OR TO MATCH EXISTING FINISH TO REMAIN (IF NO NEW FINISH IS SCHEDULED).
- 6 - REMOVE EXISTING FINISHES AS REQUIRED TO ACCOMMODATE THE NEW CONSTRUCTION.
- 7 - REMOVE ALL UNUSED ELECTRICAL, MECHANICAL, PLUMBING, ETC. SYSTEMS BACK TO THEIR POINT OF ORIGIN.
- 8 - THE GENERAL CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND INSTALLING ANY AND ALL NECESSARY SHORING AND TEMPORARY SUPPORTS REQUIRED DURING CONSTRUCTION. NO STRUCTURAL ELEMENTS SHALL BE REMOVED WITHOUT HAVING SUFFICIENT SHORING IN PLACE.
- 9 - PROVIDING CORING AND TRENCHING IN EXISTING CONSTRUCTION AS REQUIRED FOR NEW WORK. PATCH TO MATCH EXISTING.

CIVIL

- C1 - SALVAGE EXISTING GRANITE STEP. PREP SITE TO RECEIVE NEW SETTING BED AND REINSTALLATION OF STEP
- C2 - PROVIDE TRENCHING FROM BUILDING TO EXISTING METER ON UTILITY POLE. PREP FOR NEW UNDERGROUND CONDUIT AND WIRING.

DOORS AND WINDOWS

- DW1 - REMOVE EXISTING DOOR, FRAME AND HARDWARE COMPLETE.
- DW2 - REMOVE STORM DOOR AND HARDWARE COMPLETE. SALVAGE EXISTING FRAME FOR REUSE. PREP FOR NEW STORM DOOR.
- DW3 - REMOVE EXISTING DOOR AND FRAME. SALVAGE DOOR FOR REUSE AT NEW DOOR OPENING #108.
- DW4 - REMOVE AND SALVAGE EXISTING DOOR. PREP EXISTING DOOR AND FRAME TO REMOUNT DOOR WITH MODIFIED SWING.
- DW5 - REMOVE EXISTING WINDOW & STORM/SCREEN WINDOW COMPLETE. PREP OPENING FOR NEW WINDOW.
- DW6 - REMOVE EXISTING WINDOW COMPLETE. PREP OPENING FOR NEW ROUGH OPENING AND WINDOW.
- DW7 - REMOVE EXISTING WINDOW COMPLETE. PREP OPENING FOR NEW WALL INFILL.
- DW8 - REMOVE AND SALVAGE EXISTING WINDOW FOR RELOCATION. PREP OPENING FOR NEW WALL INFILL.

ELECTRICAL

- GENERAL - REMOVE ALL EXISTING WIRING THROUGHOUT THE ENTIRE BUILDING. PREP FOR INSTALLATION OF NEW ELECTRICAL SYSTEM.
- E1 - IN AREAS WHERE DEMOLITION ACTIVITIES AFFECT EXISTING WIRING, CONDUIT, OUTLETS, SWITCHES, ETC. REMOVE OR RELOCATE SUCH COMPONENTS AS REQUIRED AND COORDINATED WITH THE ARCHITECT.
- E2 - REMOVE EXISTING LIGHT FIXTURES COMPLETE.
- E3 - REMOVE EXISTING ELECTRICAL SERVICE ENTRANCE AND PANEL COMPLETE.

EQUIPMENT

- EQ1 - REMOVE EXISTING WALL OVEN AND CABINET COMPLETE.
- EQ2 - REMOVE EXISTING SPEAKER CABINET, SPEAKER AND ASSOCIATED WIRING COMPLETE.

FINISHES & MISCELLANEOUS

- FN1 - REMOVE EXISTING FLOOR, WALL AND CEILING FINISHES COMPLETE. REMOVE WALL AND CEILING SHEATHING MATERIALS BACK TO EXISTING STUDS AND JOISTS. PREP SURFACES TO RECEIVE NEW FINISHES.
- FN2 - REMOVE EXIST STAIRS AND HANDRAILS COMPLETE.
- FN3 - REMOVE EXISTING BRICK HEARTH, CHIMNEY & WALL FINISH COMPLETE. PATCH AND REPAIR FOR NEW FINISHES.
- FN4 - REMOVE EXISTING CABINETS AND COUNTERS COMPLETE.
- FN5 - REMOVE EXISTING SHELVING COMPLETE.
- FN6 - REMOVE EXISTING SHUTTERS COMPLETE.
- FN7 - REMOVE EXISTING FLOOR AND UNDERLAYMENT COMPLETE. PREP FOR NEW UNDERLAYMENT AND FLOOR FINISH.

MECHANICAL

- GENERAL - PROVIDE OPENINGS FOR NEW DUCTWORK AND GRILLES AS REQUIRED.
- M1 - REMOVE EXISTING FURNACE AND DUCTWORK COMPLETE THROUGHOUT BUILDING. PREP FOR NEW FURNACE AND DUCTWORK.
- M2 - REMOVE EXISTING SUPPLY GRILLES. PATCH OPENINGS TO MATCH EXISTING.
- M3 - REMOVE EXISTING ELECTRICAL BASEBOARD HEAT COMPLETE.

PLUMBING

- GENERAL - REMOVE ALL EXISTING PLUMBING SUPPLY AND DRAIN LINES COMPLETE THROUGHOUT THE ENTIRE BUILDING. PREP FOR INSTALLATION OF NEW PIPING AND DRAINAGE SYSTEM.
- P1 - REMOVE EXISTING PLUMBING FIXTURES, PIPING AND ALL APPURTENANCES COMPLETE.

ROOFS


- R1 - REMOVE EXISTING ROOFING COMPLETE, PREP TO RECEIVE NEW ROOFING. NOTE: EXISTING COPPER ROOFING TO REMAIN.
- R2 - REMOVE EXISTING CHIMNEY COMPLETE. PREP FOR NEW SHEATHING AND FRAMING INFILL.
- R3 - REMOVE PORTION OF EXISTING CHIMNEY DOWN TO EXISTING ROOF LEVEL. PREP FOR REBUILDING AND NEW FLUE LINERS AND FLASHING.
- R4 - REMOVE EXISTING GUTTER AND ROOF LEADER COMPLETE.

STRUCTURAL

- ST1 - REMOVE EXISTING STEEL LALLY COLUMNS AND PORTIONS OF CONCRETE SLAB. PREP FOR NEW FOOTINGS AND COLUMN.

WALLS

- W1 - REMOVE PORTION OF EXISTING WALL AND SHEATHING. PREP FOR NEW CASED OPENING.
- W2 - REMOVE PORTION OF EXISTING WALL AS REQUIRED FOR NEW WINDOW OPENING.
- W3 - REMOVE PORTION OF EXISTING WALL. PREP FOR NEW ACCESS DOOR OPENING.



FARMS Data:

BUILDING #: SHL03
BUILDING NAME: McGreal House

PROJECT #: CAP 2030
DRAWN BY: SDC
DATE: 5/17/2021
SCALE: 1/4" = 1'-0"
REVISED: -

COPYRIGHT © BY STATE OF NEW HAMPSHIRE DEPARTMENT OF RESOURCES & ECONOMIC DEVELOPMENT ALL RIGHTS RESERVED NO REPRODUCTION WITHOUT PERMISSION

DEMOLITION NOTES

GENERAL

- 1 - THE DEMOLITION PLANS ILLUSTRATE THE GENERAL INTENT AND SCOPE OF ARCHITECTURAL DEMOLITION. THEY ARE NOT INTENDED TO BE A COMPLETE REPRESENTATION OF ALL DEMOLITION WORK REQUIRED. ALL DRAWINGS AND SPECIFICATIONS SHOULD BE CONSIDERED WHEN DETERMINING THE FULL SCOPE OF DEMOLITION REQUIRED FOR THE PROJECT. IT IS THE INTENT OF THE SCOPE TO REQUIRE DEMOLITION OF ALL BUILDING ELEMENTS AS REQUIRED FOR THE INSTALLATION OF NEW WORK FOR THIS PROJECT.
- 2 - ITEMS SHOWN AS "DASHED" LINES GENERALLY REPRESENT ITEMS TO BE REMOVED. IT IS THE CONTRACTORS RESPONSIBILITY TO FIELD VERIFY THE EXACT LIMITS AND DETAILS OF DEMOLITION AND COORDINATE WITH THE PLANS AND DETAILS OF NEW WORK.
- 3 - UNLESS OTHERWISE INDICATED ON THE DRAWINGS, REMOVE PARTITIONS COMPLETE TO THE STRUCTURES ABOVE.
- 4 - REMOVE DOORS, FRAMES AND HARDWARE INCLUDING SIDELIGHTS, TRANSOMS AND THRESHOLDS WHERE DOORS ARE SHOWN TO BE REMOVED.
- 5 - AFTER DEMOLITION IS COMPLETE, PATCH ALL SURFACES THAT REMAIN AS NEEDED TO RECEIVE NEW FINISHES, OR TO MATCH EXISTING FINISH TO REMAIN (IF NO NEW FINISH IS SCHEDULED).
- 6 - REMOVE EXISTING FINISHES AS REQUIRED TO ACCOMMODATE THE NEW CONSTRUCTION.
- 7 - REMOVE ALL UNUSED ELECTRICAL, MECHANICAL, PLUMBING, ETC. SYSTEMS BACK TO THEIR POINT OF ORIGIN.
- 8 - THE GENERAL CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND INSTALLING ANY AND ALL NECESSARY SHORING AND TEMPORARY SUPPORTS REQUIRED DURING CONSTRUCTION. NO STRUCTURAL ELEMENTS SHALL BE REMOVED WITHOUT HAVING SUFFICIENT SHORING IN PLACE.
- 9 - PROVIDING CORING AND TRENCHING IN EXISTING CONSTRUCTION AS REQUIRED FOR NEW WORK. PATCH TO MATCH EXISTING.

CIVIL

- C1 - SALVAGE EXISTING GRANITE STEP. PREP SITE TO RECEIVE NEW SETTING BED AND REINSTALLATION OF STEP
- C2 - PROVIDE TRENCHING FROM BUILDING TO EXISTING METER ON UTILITY POLE. PREP FOR NEW UNDERGROUND CONDUIT AND WIRING.

DOORS AND WINDOWS

- DW1 - REMOVE EXISTING DOOR, FRAME AND HARDWARE COMPLETE.
- DW2 - REMOVE STORM DOOR AND HARDWARE COMPLETE. SALVAGE EXISTING FRAME FOR REUSE. PREP FOR NEW STORM DOOR.
- DW3 - REMOVE EXISTING DOOR AND FRAME. SALVAGE DOOR FOR REUSE AT NEW DOOR OPENING #108.
- DW4 - REMOVE AND SALVAGE EXISTING DOOR. PREP EXISTING DOOR AND FRAME TO REMOUNT DOOR WITH MODIFIED SWING.
- DW5 - REMOVE EXISTING WINDOW & STORM/SCREEN WINDOW COMPLETE. PREP OPENING FOR NEW WINDOW.
- DW6 - REMOVE EXISTING WINDOW COMPLETE. PREP OPENING FOR NEW ROUGH OPENING AND WINDOW.
- DW7 - REMOVE EXISTING WINDOW COMPLETE. PREP OPENING FOR NEW WALL INFILL.
- DW8 - REMOVE AND SALVAGE EXISTING WINDOW FOR RELOCATION. PREP OPENING FOR NEW WALL INFILL.

ELECTRICAL

- GENERAL - REMOVE ALL EXISTING WIRING THROUGHOUT THE ENTIRE BUILDING. PREP FOR INSTALLATION OF NEW ELECTRICAL SYSTEM.
- E1 - IN AREAS WHERE DEMOLITION ACTIVITIES AFFECT EXISTING WIRING, CONDUIT, OUTLETS, SWITCHES, ETC. REMOVE OR RELOCATE SUCH COMPONENTS AS REQUIRED AND COORDINATED WITH THE ARCHITECT.
- E2 - REMOVE EXISTING LIGHT FIXTURES COMPLETE.
- E3 - REMOVE EXISTING ELECTRICAL SERVICE ENTRANCE AND PANEL COMPLETE.

EQUIPMENT

- E01 - REMOVE EXISTING WALL OVEN AND CABINET COMPLETE.
- E02 - REMOVE EXISTING SPEAKER CABINET, SPEAKER AND ASSOCIATED WIRING COMPLETE.

FINISHES & MISCELLANEOUS

- FN1 - REMOVE EXISTING FLOOR, WALL AND CEILING FINISHES COMPLETE. REMOVE WALL AND CEILING SHEATHING MATERIALS BACK TO EXISTING STUDS AND JOISTS. PREP SURFACES TO RECEIVE NEW FINISHES.
- FN2 - REMOVE EXIST STAIRS AND HANDRAILS COMPLETE.
- FN3 - REMOVE EXISTING BRICK HEARTH, CHIMNEY & WALL FINISH COMPLETE. PATCH AND REPAIR FOR NEW FINISHES.
- FN4 - REMOVE EXISTING CABINETS AND COUNTERS COMPLETE.
- FN5 - REMOVE EXISTING SHELVING COMPLETE.
- FN6 - REMOVE EXISTING SHUTTERS COMPLETE.
- FN7 - REMOVE EXISTING FLOOR AND UNDERLAYMENT COMPLETE. PREP FOR NEW UNDERLAYMENT AND FLOOR FINISH.

MECHANICAL

- GENERAL - PROVIDE OPENINGS FOR NEW DUCTWORK AND GRILLES AS REQUIRED.
- M1 - REMOVE EXISTING FURNACE AND DUCTWORK COMPLETE THROUGHOUT BUILDING. PREP FOR NEW FURNACE AND DUCTWORK.
- M2 - REMOVE EXISTING SUPPLY GRILLES. PATCH OPENINGS TO MATCH EXISTING.
- M3 - REMOVE EXISTING ELECTRICAL BASEBOARD HEAT COMPLETE.

PLUMBING

- GENERAL - REMOVE ALL EXISTING PLUMBING SUPPLY AND DRAIN LINES COMPLETE THROUGHOUT THE ENTIRE BUILDING. PREP FOR INSTALLATION OF NEW PIPING AND DRAINAGE SYSTEM.
- P1 - REMOVE EXISTING PLUMBING FIXTURES, PIPING AND ALL APPURTENANCES COMPLETE.

ROOFS



- R1 - REMOVE EXISTING ROOFING COMPLETE, PREP TO RECEIVE NEW ROOFING. NOTE: EXISTING COPPER ROOFING TO REMAIN.
- R2 - REMOVE EXISTING CHIMNEY COMPLETE. PREP FOR NEW SHEATHING AND FRAMING INFILL.
- R3 - REMOVE PORTION OF EXISTING CHIMNEY DOWN TO EXISTING ROOF LEVEL. PREP FOR REBUILDING AND NEW FLUE LINERS AND FLASHING.
- R4 - REMOVE EXISTING GUTTER AND ROOF LEADER COMPLETE.

STRUCTURAL

- ST1 - REMOVE EXISTING STEEL LALLY COLUMNS AND PORTIONS OF CONCRETE SLAB. PREP FOR NEW FOOTINGS AND COLUMN.

WALLS

- W1 - REMOVE PORTION OF EXISTING WALL AND SHEATHING. PREP FOR NEW CASSED OPENING.
- W2 - REMOVE PORTION OF EXISTING WALL AS REQUIRED FOR NEW WINDOW OPENING.
- W3 - REMOVE PORTION OF EXISTING WALL. PREP FOR NEW ACCESS DOOR OPENING.



FARMS Data:

BUILDING #: SHL03
BUILDING NAME: McGreal House

PROJECT #: CAP 2030
DRAWN BY: SDC
DATE: 5/17/2021
SCALE: 1/4" = 1'-0"
REVISED: -

COPYRIGHT © BY STATE OF NEW HAMPSHIRE DEPARTMENT
OF RESOURCES & ECONOMIC DEVELOPMENT. ALL RIGHTS
RESERVED. NO REPRODUCTION WITHOUT PERMISSION.

DEMOLITION NOTES

GENERAL

- 1 - THE DEMOLITION PLANS ILLUSTRATE THE GENERAL INTENT AND SCOPE OF ARCHITECTURAL DEMOLITION. THEY ARE NOT INTENDED TO BE A COMPLETE REPRESENTATION OF ALL DEMOLITION WORK REQUIRED. ALL DRAWINGS AND SPECIFICATIONS SHOULD BE CONSIDERED WHEN DETERMINING THE FULL SCOPE OF DEMOLITION REQUIRED FOR THE PROJECT. IT IS THE INTENT OF THE SCOPE TO REQUIRE DEMOLITION OF ALL BUILDING ELEMENTS AS REQUIRED FOR THE INSTALLATION OF NEW WORK FOR THIS PROJECT.
- 2 - ITEMS SHOWN AS "DASHED" LINES GENERALLY REPRESENT ITEMS TO BE REMOVED. IT IS THE CONTRACTORS RESPONSIBILITY TO FIELD VERIFY THE EXACT LIMITS AND DETAILS OF DEMOLITION AND COORDINATE WITH THE PLANS AND DETAILS OF NEW WORK.
- 3 - UNLESS OTHERWISE INDICATED ON THE DRAWINGS, REMOVE PARTITIONS COMPLETE TO THE STRUCTURES ABOVE.
- 4 - REMOVE DOORS, FRAMES AND HARDWARE INCLUDING SIDELIGHTS, TRANSOMS AND THRESHOLDS WHERE DOORS ARE SHOWN TO BE REMOVED.
- 5 - AFTER DEMOLITION IS COMPLETE, PATCH ALL SURFACES THAT REMAIN AS NEEDED TO RECEIVE NEW FINISHES, OR TO MATCH EXISTING FINISH TO REMAIN (IF NO NEW FINISH IS SCHEDULED).
- 6 - REMOVE EXISTING FINISHES AS REQUIRED TO ACCOMMODATE THE NEW CONSTRUCTION.
- 7 - REMOVE ALL UNUSED ELECTRICAL, MECHANICAL, PLUMBING, ETC. SYSTEMS BACK TO THEIR POINT OF ORIGIN.
- 8 - THE GENERAL CONTRACTOR IS RESPONSIBLE FOR PROVIDING AND INSTALLING ANY AND ALL NECESSARY SHORING AND TEMPORARY SUPPORTS REQUIRED DURING CONSTRUCTION. NO STRUCTURAL ELEMENTS SHALL BE REMOVED WITHOUT HAVING SUFFICIENT SHORING IN PLACE.
- 9 - PROVIDING CORING AND TRENCHING IN EXISTING CONSTRUCTION AS REQUIRED FOR NEW WORK. PATCH TO MATCH EXISTING.

CIVIL

- C1 - SALVAGE EXISTING GRANITE STEP. PREP SITE TO RECEIVE NEW SETTING BED AND REINSTALLATION OF STEP
- C2 - PROVIDE TRENCHING FROM BUILDING TO EXISTING METER ON UTILITY POLE. PREP FOR NEW UNDERGROUND CONDUIT AND WIRING.

DOORS AND WINDOWS

- DW1 - REMOVE EXISTING DOOR, FRAME AND HARDWARE COMPLETE.
- DW2 - REMOVE STORM DOOR AND HARDWARE COMPLETE. SALVAGE EXISTING FRAME FOR REUSE. PREP FOR NEW STORM DOOR.
- DW3 - REMOVE EXISTING DOOR AND FRAME. SALVAGE DOOR FOR REUSE AT NEW DOOR OPENING #108.
- DW4 - REMOVE AND SALVAGE EXISTING DOOR. PREP EXISTING DOOR AND FRAME TO REMOUNT DOOR WITH MODIFIED SWING.
- DW5 - REMOVE EXISTING WINDOW & STORM/SCREEN WINDOW COMPLETE. PREP OPENING FOR NEW WINDOW.
- DW6 - REMOVE EXISTING WINDOW COMPLETE. PREP OPENING FOR NEW ROUGH OPENING AND WINDOW.
- DW7 - REMOVE EXISTING WINDOW COMPLETE. PREP OPENING FOR NEW WALL INFILL.
- DW8 - REMOVE AND SALVAGE EXISTING WINDOW FOR RELOCATION. PREP OPENING FOR NEW WALL INFILL.

ELECTRICAL

- GENERAL - REMOVE ALL EXISTING WIRING THROUGHOUT THE ENTIRE BUILDING. PREP FOR INSTALLATION OF NEW ELECTRICAL SYSTEM.
- E1 - IN AREAS WHERE DEMOLITION ACTIVITIES AFFECT EXISTING WIRING, CONDUIT, OUTLETS, SWITCHES, ETC. REMOVE OR RELOCATE SUCH COMPONENTS AS REQUIRED AND COORDINATED WITH THE ARCHITECT.
- E2 - REMOVE EXISTING LIGHT FIXTURES COMPLETE.
- E3 - REMOVE EXISTING ELECTRICAL SERVICE ENTRANCE AND PANEL COMPLETE.

EQUIPMENT

- EQ1 - REMOVE EXISTING WALL OVEN AND CABINET COMPLETE.
- EQ2 - REMOVE EXISTING SPEAKER CABINET, SPEAKER AND ASSOCIATED WIRING COMPLETE.

FINISHES & MISCELLANEOUS

- FN1 - REMOVE EXISTING FLOOR, WALL AND CEILING FINISHES COMPLETE. REMOVE WALL AND CEILING SHEATHING MATERIALS BACK TO EXISTING STUDS AND JOISTS. PREP SURFACES TO RECEIVE NEW FINISHES.
- FN2 - REMOVE EXIST STAIRS AND HANDRAILS COMPLETE.
- FN3 - REMOVE EXISTING BRICK HEARTH, CHIMNEY & WALL FINISH COMPLETE. PATCH AND REPAIR FOR NEW FINISHES.
- FN4 - REMOVE EXISTING CABINETS AND COUNTERS COMPLETE.
- FN5 - REMOVE EXISTING SHELVING COMPLETE.
- FN6 - REMOVE EXISTING SHUTTERS COMPLETE.
- FN7 - REMOVE EXISTING FLOOR AND UNDERLAYMENT COMPLETE. PREP FOR NEW UNDERLAYMENT AND FLOOR FINISH.

MECHANICAL

- GENERAL - PROVIDE OPENINGS FOR NEW DUCTWORK AND GRILLES AS REQUIRED.
- M1 - REMOVE EXISTING FURNACE AND DUCTWORK COMPLETE THROUGHOUT BUILDING. PREP FOR NEW FURNACE AND DUCTWORK.
- M2 - REMOVE EXISTING SUPPLY GRILLES. PATCH OPENINGS TO MATCH EXISTING.
- M3 - REMOVE EXISTING ELECTRICAL BASEBOARD HEAT COMPLETE.

PLUMBING

- GENERAL - REMOVE ALL EXISTING PLUMBING SUPPLY AND DRAIN LINES COMPLETE THROUGHOUT THE ENTIRE BUILDING. PREP FOR INSTALLATION OF NEW PIPING AND DRAINAGE SYSTEM.
- P1 - REMOVE EXISTING PLUMBING FIXTURES, PIPING AND ALL APPURTENANCES COMPLETE.

ROOFS


- R1 - REMOVE EXISTING ROOFING COMPLETE, PREP TO RECEIVE NEW ROOFING. NOTE: EXISTING COPPER ROOFING TO REMAIN.
- R2 - REMOVE EXISTING CHIMNEY COMPLETE. PREP FOR NEW SHEATHING AND FRAMING INFILL.
- R3 - REMOVE PORTION OF EXISTING CHIMNEY DOWN TO EXISTING ROOF LEVEL. PREP FOR REBUILDING AND NEW FLUE LINERS AND FLASHING.
- R4 - REMOVE EXISTING GUTTER AND ROOF LEADER COMPLETE.

STRUCTURAL

- ST1 - REMOVE EXISTING STEEL LALLY COLUMNS AND PORTIONS OF CONCRETE SLAB. PREP FOR NEW FOOTINGS AND COLUMN.

WALLS

- W1 - REMOVE PORTION OF EXISTING WALL AND SHEATHING. PREP FOR NEW CASSED OPENING.
- W2 - REMOVE PORTION OF EXISTING WALL AS REQUIRED FOR NEW WINDOW OPENING.
- W3 - REMOVE PORTION OF EXISTING WALL. PREP FOR NEW ACCESS DOOR OPENING.






FARMS Data:

BUILDING #: SHL03
BUILDING NAME: McGreal House

PROJECT #: CAP 2030
DRAWN BY: SDC
DATE: 5/17/2021
SCALE: 1/4" = 1'-0"
REVISED: -

COPYRIGHT © BY STATE OF NEW HAMPSHIRE DEPARTMENT
OF RESOURCES & ECONOMIC DEVELOPMENT. ALL RIGHTS
RESERVED. NO REPRODUCTION WITHOUT PERMISSION.



State of New Hampshire
Department of Resources and Economic Development

172 Pembroke Road · Concord, NH · 03301
Phone: 603.271.3556
www.nhstateparks.org

PROJECT INFORMATION:
SHIELING STATE FOREST
McGREAL HOUSE RENOVATIONS



SHEET INFORMATION:
BASEMENT PLAN

FARMS Data:
BUILDING #: SHL03
BUILDING NAME: McGreal House

PROJECT #: CAP 2030
DRAWN BY: SDC
DATE: 5/17/2021
SCALE: 1/4" = 1'-0"
REVISED: -

COPYRIGHT © BY STATE OF NEW HAMPSHIRE DEPARTMENT
OF RESOURCES & ECONOMIC DEVELOPMENT. ALL RIGHTS
RESERVED. NO REPRODUCTION WITHOUT PERMISSION.



A1.00



FARMS Data:
BUILDING #: SHL03
BUILDING NAME: McGreal House

PROJECT #:	CAP 2030
DRAWN BY:	SDC
DATE:	5/17/2021
SCALE:	1/4" = 1'-0"
REVISED:	-

COPYRIGHT © BY STATE OF NEW HAMPSHIRE DEPARTMENT OF RESOURCES & ECONOMIC DEVELOPMENT. ALL RIGHTS RESERVED. NO REPRODUCTION WITHOUT PERMISSION.



SHIELING STATE FOREST
McGREAL HOUSE RENOVATIONS

SECOND FLOOR PLAN




FARMS Data:	
BUILDING #:	SHL03
BUILDING NAME:	McGreal House

PROJECT #:	CAP 2030
DRAWN BY:	SDC
DATE:	5/17/2021
SCALE:	1/4" = 1'-0"
REVISED:	-

COPYRIGHT © BY STATE OF NEW HAMPSHIRE DEPARTMENT OF RESOURCES & ECONOMIC DEVELOPMENT. ALL RIGHTS RESERVED. NO REPRODUCTION WITHOUT PERMISSION.

State of New Hampshire
Department of Resources and Economic Development

172 Pembroke Road · Concord, NH · 03301
Phone: 603.271.3556
www.nhstateparks.org



State of New Hampshire
Department of Resources and Economic Development

172 Pembroke Road · Concord, NH · 03301
Phone: 603.271.3556
www.nhstateparks.org

PROJECT INFORMATION:

SHIELING STATE FOREST
McGREAL HOUSE RENOVATIONS

SHEET INFORMATION:

ROOF PLAN


FARMS Data:

BUILDING #: SHL03
BUILDING NAME: McGreal House

PROJECT #: CAP 2030
DRAWN BY: SDC
DATE: 5/17/2021
SCALE: 1/4" = 1'-0"
REVISED: -

COPYRIGHT © BY STATE OF NEW HAMPSHIRE DEPARTMENT
OF RESOURCES & ECONOMIC DEVELOPMENT. ALL RIGHTS
RESERVED. NO REPRODUCTION WITHOUT PERMISSION.

A1.03



Architectural elevation drawing of a two-story building facade. The drawing includes the following annotations:

- MTL RIDGE CAP
- BRICK CHIMNEY TO MATCH EXISTING
- ASPHALT SHINGLES
- STEP FLASHING
- EPDM ROOFING
- NEW WOOD TRIM TO MATCH EXIST
- 1X CORNER BOARD
- WOOD CLAPBOARDS
- 1X TOE BOARD
- 1X CASING
- PLUG HOLE
- 1X WATERTABLE
- REPLACE STRUCTURAL SILL
- REPOINT MORTAR (TYP)
- 1X WATERTABLE (BEYOND)
- REPLACE STRUCTURAL SILL
- RE-SET AND LEVEL EXIST GRANITE STEP

SOUTH ELEVATION


172 Pembroke Road . Concord, NH . 03301
Phone: 603.271.3556
www.nhstateparks.org

ELEVATIONS

FARMS Data:	
BUILDING #:	SHL03
BUILDING NAME:	McGreal House


PROJECT #:	CAP 2030
DRAWN BY:	SDC
DATE:	5/17/2021
SCALE:	1/4" = 1'-0"
REVISED:	-

COPYRIGHT © BY STATE OF NEW HAMPSHIRE DEPARTMENT
OF RESOURCES & ECONOMIC DEVELOPMENT ALL RIGHTS
RESERVED NO REPRODUCTION WITHOUT PERMISSION




EAST ELEVATION


- GENERAL NOTES
1. PROVIDE ALUMINUM STORM/SCREEN WINDOWS AT ALL EXISTING WINDOWS
 2. SCRAPE AND REPAINT ALL EXISTING EXTERIOR PAINTED SURFACES. PAINT ALL NEW COMPONENTS AND SIDING
 3. ALL NEW WOOD TRIM TO MATCH EXISTING THICKNESS AND WIDTHS
 4. TRIM TO BE REMOVED AND REPLACED SHALL BE REMOVED TO THE NEAREST JOINT
 5. BOARDS SHALL BE FURNISHED IN STANDARD LENGTHS. NO BOARD LESS THAN 2'-0" LONG SHALL BE PERMITTED
 6. ALL BOARD TO BOARD JOINTS SHALL BE SCARP JOINTS. BUTT JOINTS ARE NOT PERMITTED
 7. SIDING INFILL AND REPLACEMENT SHALL BE TOOTHED IN AND INSTALLED SO THAT JOINTS BETWEEN COURSES DO NOT ALIGN
 8. PROVIDE WEATHER BARRIER UNDER ALL NEW SIDING. TAPE JOINTS TO FORM SEAL




GARAGE NORTH ELEVATION




NORTH ELEVATION




GARAGE SOUTH ELEVATION




1 BATHROOM #111 NORTH ELEVATION




2 BATHROOM #111 EAST ELEVATION




3 BATHROOM #111 SOUTH ELEVATION




4 BATHROOM #111 WEST ELEVATION



5 KITCHEN #114 NORTH ELEVATION



6 KITCHEN #114 SOUTH ELEVATION




7 KITCHEN #114 WEST ELEVATION


ACCESSORY SCHEDULE					
MARK	TYPE	MANUFACTURER	MODEL #	COLOR	MOUNTING
A-1	MEDICINE CABINET	KOHLER	K-2967	OIL-RUBBED BRONZE	RECESSED/SURFACE
A-2	TOWEL RING	KOHLER	K-10557	BRUSHED NICKEL	SURFACE
A-3	TOWEL BAR	KOHLER	K-10551	BRUSHED NICKEL	SURFACE
A-4	TOILET PAPER HOLDER	KOHLER	K-10554	BRUSHED NICKEL	SURFACE
A-5	ROBE HOOK	KOHLER	K-10555	BRUSHED NICKEL	SURFACE

NOTES:


- ADJUSTABLE SHELVES & STANDARDS:
STANDARDS: 82' SERIES AS MANUFACTURED BY KV; 14' GA STEEL, 450# PER PAIR WEIGHT CAPACITY
BRACKETS: 182' SERIES AS MANUFACTURED BY KV; 450# PER PAIR WEIGHT CAPACITY
SHELVES: 2\"/>
- GLASS SHOWER ENCLOSURE: SEMI-FRAMELESS TYPE WITH BRUSHED NICKEL FINISH COMPONENTS
- SHOWER NICHE: KERD-BOARD-SN AS MANUFACTURED BY SCHLUTER; 12"x20\"/>




8 BATHROOM #202 NORTH ELEVATION




9 BATHROOM #202 EAST SHOWER




10 BATHROOM #202 EAST ELEVATION




11 BATHROOM #202 SOUTH ELEVATION




12 BATHROOM #202 WEST ELEVATION




13 BATHROOM #202 WEST SHOWER




1 DETAIL 1 GARAGE STAIRS
1 1/2" = 1'-0"




2 DETAIL 2 WOOD POST
1 1/2" = 1'-0"




3 DETAIL 3 STEP
1 1/2" = 1'-0"




4 DETAIL 4 EPDM CHIMNEY FLASHING
1 1/2" = 1'-0"




5 DETAIL 5 EPDM TO SHINGLE RIDGE
1 1/2" = 1'-0"




6 DETAIL 6 SIDEWALL FLASHING
1 1/2" = 1'-0"



7 DETAIL 7 COPPER ROOF FLASHING
1 1/2" = 1'-0"




8 DETAIL 8 KITCHEN COUNTERTOP
1 1/2" = 1'-0"



2 SECOND FLOOR MEP PLAN

PLUMBING SCHEDULE				
MARK	DESCRIPTION	MANUFACTURER - MODEL #	ACCESSORIES & NOTES	COLOR & FINISH
P-1	TOILET	KOHLER: WELLWORTH CLASSIC MODEL #: K-3575	TOILET SEAT: KOHLER CACHET QUIET-CLOSE ELONGATED TOILET SEAT MODEL #: K-4636	WHITE
P-2	VANITY SINK	KOHLER: POPLIN VANITY MODEL #: K-9953DLGR	VANITY TOP: KOHLER CERAMIC IMPRESSIONS MODEL #: K-2779-8, FAUCET: KOHLER DEVONSHIRE MODEL #: K-394-4	VANITY: CLARET SUEDE SINK: WHITE IMPRESSION FAUCET: BRUSHED NICKEL
P-3	VANITY SINK	KOHLER: POPLIN VANITY MODEL #: K-9953SLG	VANITY TOP: KOHLER CERAMIC IMPRESSIONS MODEL #: K-2783-8, FAUCET: KOHLER DEVONSHIRE MODEL #: K-394-4	VANITY: CLARET SUEDE SINK: WHITE IMPRESSION FAUCET: BRUSHED NICKEL
P-4	SHOWER	CUSTOM	BASE: SCHLUTER -KERDI-SHOWER, CURB: SCHLUTER -KERDI-BOARD, DRAIN: SCHLUTER -KERDI-DRAIN STAINLESS STEEL, SHOWER TRIM: KOHLER DEVONSHIRE MODEL #: K-1LS396-4, SHOWERHEAD: KOHLER DEVONSHIRE MODEL #: K-10392-AK, SHOWER NICH: SCHLUTER -KERDI-BOARD-SN	BRUSHED NICKEL
P-5	KITCHEN SINK	KOHLER: TOCCATA MODEL #: K-3847-3	FAUCET: KOHLER FORTE MODEL #: K-10411, STRAINER: KOHLER DUOSTRAINER MODEL #: K-8801	STAINLESS STEEL
WWB	WASHER WALL BOX	SYMMONS: LAUNDRY-MATE MODEL #W-602-X	-	WHITE

NOTES:
1 - SCHEDULE INDICATES FIXTURES SELECTED AS THE BASIS OF DESIGN, ALTERNATIVES WILL BE ACCEPTED IF EQUAL OR BETTER QUALITY.
2 - PROVIDE ALL NECESSARY TRIM AND FITTINGS REQUIRED FOR A COMPLETE INSTALLATION



GENERAL NOTES
1. PROVIDE NEW ELECTRICAL PANEL AND WIRING THROUGHOUT ENTIRE HOUSE. WIRE ALL NEW AND EXISTING SWITCHES, OUTLETS, LIGHTING, EQUIPMENT, ETC.
2. PROVIDE NEW DUCTWORK TO ALL NEW AND EXISTING GRILLES. PROVIDE NEW GRILLES AS REQUIRED IN ALL NEW AND EXISTING SPACES.
3. PROVIDE NEW PLUMBING SYSTEM INCLUDING WATER SUPPLY AND DRAINAGE TO ALL EXISTING AND NEW PLUMBING FIXTURES.

LIGHTING FIXTURE SCHEDULE				
MARK	MANUFACTURER	FIXTURE MAKE/MODEL	LAMPING	MOUNTING
A	HALO	SLD606-8-30-WH	12.5W LED	CEILING MOUNTED
B	PANASONIC	LIGHT/EXHAUST FAN #: FV-0811RFL1	LED	CEILING MOUNTED
C	KITCHLER	1078402LED	3000K LED	CEILING MOUNTED
D	KITCHLER	6UCSK30WHT	2700K/3000K LED	UNDER CABINET

1 FIRST FLOOR MEP PLAN