


- NOTES:
1. STRIP AND REMOVE ALL ASPHALT SHINGLE ROOFING MATERIALS IN AREAS AS INDICATED.
 2. INSPECT AND REPAIR WOOD ROOF DECK.
 3. INSTALL ALUMINUM DRIP EDGE.
 4. INSTALL ICE & WATERSHIELD.
 5. INSTALL SOLID FELT OR SYNTHETIC ROOF UNDERLAYMENT OVER ENTIRE ROOF DECK.
 6. INSTALL ASPHALT SHINGLES AND RIDGE CAP SHINGLES.

| | | |
|---|----------|-------------------------|
| ASPHALT SHINGLE ROOF REPLACEMENT GREENFIELD STATE PARK ADMINISTRATION BUILDING | | DATE: SEP 27, 2022 |
| PROJECT # | CAP-2206 | SCALE: 1/4"=1'-0" |
| APPROVED BY: | | DRAWN BY: EDWARD MUSSEY |



| | |
|--|--|
| STATE OF NEW HAMPSHIRE DEPARTMENT OF NATURAL AND CULTURAL RESOURCES PLANNING AND DEVELOPMENT SECTION | GREENFIELD STATE PARK GREENFIELD, NEW HAMPSHIRE |
|--|--|